

PROTECTION

DEMINING VISOR DV5

Protection visor against fragments
of exploding anti-personnel landmines



DEMINING VISOR DV5

Protection visor against fragments of exploding anti-personnel landmines

The Demining Visor DV5 offers full-face protection against fragments of exploding anti-personnel landmines. The design of this visor has been proven with many organizations worldwide within the last decade. Clear sight is guaranteed by the high quality 5 mm (0.17 in) untreated polycarbonate material. Each visor receives its own identification number.

The full-face blast visor has a standard head frame that is made from polyamide for high durability. The fixings are made from heat-formed polycarbonate providing flexibility. The visor is screwed with stainless steel bolts and safety nuts to the fixings to prevent the visor being raised carelessly at the wrong times.

- ✓ Protection level v50 = 250 m/s (820 ft/s) according to STANAG 2920
- ✓ Made of 5 mm (0.17 in) untreated polycarbonate according to IMAS 10.30
- ✓ Very light-weight and comfortable to wear
- ✓ Provides clear sight in a wide field of view
- ✓ The scope of delivery includes a convenient transport bag



Option scratch shield

DATA SHEET

Demining Visor DV5

TECHNICAL DATA

Article number	1020050 (visor without scratch shield)
Protection level	v50 = 250 m/s (820 ft/s) according to STANAG 2920, fulfills IMAS 10.30
Dimensions approx.	Protected area: 1,250 cm ² Height: 29.5 cm (11.6 in) Length top edge: 47 cm (18.5 in) Length bottom edge: 29 cm (11.4 in) Inner width: 22 cm (8.7 in)
Colors (headframe)	Black
Weight	approx. 0.9 kg (1.98 lbs)
Warranty	12 months against labor faults
Optional	1020050-10 (visor with scratch shield)

