

PROTECTION

DEMINING HELMET WITH VISOR DHV5

Demining helmet against the blast
of anti-personnel landmines



DEMINING HELMET WITH VISOR DHV5

Demining helmet against the blast of anti-personnel landmines

The Demining Helmet DHV5 offers a high protection thanks to the combination of a ballistic helmet and a fixed 5 mm (0.17 in) polycarbonate visor. The protection level of the helmet is $v_{50} = 620$ m/s (2034 ft/s) according to STANAG 2920 and level IIIA according to NIJ 0106.01. The protection level of the visor is $v_{50} = 250$ m/s (820 ft/s) according to STANAG 2920 and it fulfills IMAS 10.30. The helmet and its parts are resistant to all weather conditions.

- ✓ High protection with the combination of a ballistic helmet and demining visor DV5
- ✓ Visor made of 5 mm (0.17 in) untreated polycarbonate according to IMAS 10.30
- ✓ Lightweight and durable aramid helmet
- ✓ Comfortable to wear with an excellent suspension system
- ✓ Chinstrap using 3-point links and quick release catch



Black

Coyote brown

Dark blue

Olive

DATA SHEET

Demining Helmet with Visor DHV5

TECHNICAL DATA

Article number	S – 1020150-10 M – 1020150-11 L – 1020150-12 XL – 1020150-13
Available sizes and weight	S (53 cm – 56 cm / 21 in – 22 in) – approx. 1.98 kg (4.30 lbs) M (56 cm – 59 cm / 22 in – 23 in) – approx. 2.10 kg (4.63 lbs) L (59 cm – 62 cm / 23 in – 24 in) – approx. 2.27 kg (5.00 lbs) XL (62 cm – 65 cm / 24 in – 26 in) – approx. 2.30 kg (5.07 lbs)
Colors	Black, dark blue, olive, coyote brown
Length visor	Approx. 17 cm (6.70 in)
Material visor	Untreated PC 5 mm (0.17 in) according to IMAS 10.30
Protection level visor	v50 = 250 m/s (820 ft/s) according to STANAG 2920
Protection level helmet	v50 = 620 m/s (2034 ft/s) according to STANAG 2920, IIIA according to NIJ 0106.01

