

PROTECTION

# BLAST PROTECTED OVERBOOT FOR BCB2

Protection overboot against  
anti-personnel landmines



# BLAST PROTECTED OVERBOOT FOR BCB2

## Protection overboot against anti-personnel landmines

The BCB2 Overboot is the latest foot protection product designed by Force Ware. It is especially developed for the use in humanitarian and military mine clearance operations with its metal free design. The BCB2 Overboot provides increased ballistic protection by degrading the effect of explosions due to mines. In combination with the protection boot BCB2 it offers an effective protection against mines containing up to 65 g (0.14 lbs) of explosives.


The BCB2 Overboot is water resistant, lightweight, and highly robust even in harsh conditions thanks to its rugged design and durable materials. It allows almost unrestricted mobility independent of the individual working position due to its flexible sole. It is comfortable to wear in all climates and for long daily operations.

- ✓ Increased protection against anti-personnel landmines according to STANAG 2920
- ✓ Special metal free design for mine clearance operations
- ✓ High durability for harsh conditions
- ✓ Ballistics at sole and sides
- ✓ Comfortable to wear in daily operations for all genders



# SECURE FOOTWEAR AGAINST ANTIPERSONNEL LANDMINES:

ensuring safety in demining operations



- 1 Special metal free design for mine clearance operations
- 2 Rubberized Kevlar® protective sole with v50 protection level of 650 m/s (as per STANAG 2920)
- 3 1,6 mm – 1,8 mm (0.06 x 0.07 in) soft calf leather (top skin) for enhanced durability and comfort
- 4 Woven phenolic hard Kevlar® plate at the heel with v50 protection level > 950 m/s (as per STANAG 2920)

# DATA SHEET

## Blast Protected Overboot for BCB2

### TECHNICAL DATA

<b>Article number</b>	1180012-01 – 40 to 41 1180012-02 – 42 to 43 1180012-03 – 44 to 45
<b>Available sizes (EU) and weight</b>	40 to 41 – approx. 2.4 kg (5.2 lbs) 42 to 43 – approx. 2.5 kg (5.5 lbs) 44 to 45 – approx. 2.6 kg (5.7 lbs)
<b>Colors</b>	Black
<b>Protection (sole part)</b>	Rubberized Kevlar® protective sole with protection level v50 = 650 m/s according to STANAG 2920 Woven phenolic hard Kevlar® plate at the heel with protection level v50 = 950 m/s according to STANAG 2920
<b>Protection (upper part)</b>	Woven Kevlar® (except fabric parts)
<b>Structural material of sole</b>	Natural rubber with phylon
<b>Membrane part</b>	Waterproof membrane lining (optional)
<b>Fabric part</b>	Polyamide Mil-Spec MIL-DTL-32439 Type I Class III, 1000D (water repellent)
<b>Webbing</b>	Textured Nylon Mil-Spec W-17337 Class 2 Black Type V
<b>Sewing thread</b>	Nylon Mil-Spec A-A-59826

# DATA SHEET

## Blast Protected Combat Boot BCB2

### TECHNICAL DATA

<b>Lace</b>	Textured Nylon Mil-Spec MIL-C-5040 Type III
<b>Leather thickness</b>	1.4 mm bis 1.6 mm (0.06 x 0.07 in) soft calf leather (top skin)
<b>Warranty</b>	12 months against labor faults
<b>Life time of Fragmentation Protection</b>	5 years

